G. R. S. IX-5]

Previous references.

File No. 65-17

1917.

Serial Nos. 1–6

(Sanj)

Later references.

Sanj 60 A-19 (1-5)

P

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 1–6

Part B for ~~April~~ 19

SUBJECT.

Building for the public Health institute

Sl 6. G 23835 D 17.6.19. to the Director of Agriculture - States that the out-houses and the laboratory building cannot be at present transferred to the Agricultural deptt.

V: 3/6

W D 1250—GPB—30,000 - 28-1-19

18/20.9.19 [illegible]

G. R. S. III—1] 1917-18

GENERAL AND REVENUE SECRETARIAT.

(Sanitary)

NOTES.

File No. 65-17

FILE HEADING.

Building for the public Health Institute

From

The Sanitary Commissioner

No. 4. C 205 Dated 4. 10. 17 Received 5. 10. 17

Diary No. 928	Enclos.	Spare Copies.	Serial No. 1.

BRIEF ABSTRACT OF LETTER.

Requests that the question of Constructing a new building for the public Health Institute may be reconsidered

NOTES AND ORDERS.

The idea of a new building for the public Health Institute was considered to be unnecessary and the Sanitary Commr was requested to submit fresh proposals regarding any additions & alterations absolutely necessary in connection with the existing

NOTES—First Sheet.

WD 1232—GPB—20,000—18-11-16

WI) 1283—GPB—60,000—1-12-16—S.

G. R. S. III-2)

General and Revenue Secretariat.

Govt File No. 65 of 1917-18

2

Serial No.

2 building (vide here pr. No 5837-40 & Govt 27-12 of 9 June 17).

2 The plans & estimate received from the Sanitary Commr in connection with the above building was forwarded to the Chief Engineer in June 1915.

Submitted for orders.

8.10.17.

3 Kind reference is invited to discussion in paras 69 & 74 of Sanr file 27-12.*

Please see also the note on page 51 & 56.

4 The present proposals of the Sanitary Commr are similar to the one made on the previous occasion. The question was fully considered and the idea of having a separate building has been given up.

Submitted for orders.

18/10

chief sec)

5 The question of a large building with quarters etc was considered & decided in the negative. The Sanr Commr now urges a reconsideration of the decision.

6 The points that he makes are (i) that the present building is inadequate as it does not give enough room for the setting up of the different apparatus & the refrigerating

Keep the above statement. This should have been done in the 1st instance.

Submitted.

14/11/17

14/11/17

12/11/17

14

NOTE—Contn. sheet.

WD 1233—GPB—60,000—1-12-16—S.

General and Revenue Secretariat. | Sam File No. 65 of 1917-18

Serial No.

for 5 years!

plant is lying unpacked for want room; (2) that additions to the existing building will be costly & will not create as much convenience as a new building.

7 I learn that there are some proposals to extend the buildings of the Agricultural Dept. If that is so it may be considered whether this building may not be given over to the Agrl Dept & a new Public Health Institute built. Also new buildings may be necessary in connection with the expansion of the Central & Engineering Colleges.

8 In the ~~after~~ reorgn of the Sanit Dept the Vaccine Institute has been placed in a rather anomalous position & it is doubtful if this state of things can be permanent. If the Vaccine Institute is also in the near future to come under the immediate control of the Sanit Comnr, a new building of the kind suggested would be desirable.

9 The whole subject deserves consideration.

119
6.12.17

2nd member

Lapse. Please see my remarks re Vacc. Inst. in the re-org of the Med Dept circulated some time ago.

copy

NOTE—Contn. sheet.

Comml Section)

Proposal	From whom.	Opinion of the Member of Council in charge.	Whether the case is one for disposal by circulation or at a meeting under Rule 14 Section I.	Dewan's Order.
Question of constructing a new building for the Public Health Institute may be reconsidered.	The Sanitary Commissioner.	The present building may be given over to the Agricultural Department and a new Public Health Institute built, providing also for the - - Vaccine Institute.	To be discussed in Council.	

Sanit 4 File 65/17-18

Yes
15/12/17

15/12

14/12

Chief Sec.)

3159
15/12/17 Dewan ponders)

as circulate in meeting

15/12/17

19/12/17

(Vide orders on the statement above)

Council Section).

NR.

5

(For Disposal at a Meeting) No. C. 357.

....8.....1.....191.8

GENERAL AND REVENUE SECRETARIAT.

GEN. & REV. SECTT.
Chi Sec'y
19 MAR 1919

COUNCIL MATTER.

SUBJECT.

(Clause iii of the Schedule)

Question of constructing a new building for the Public Health Institute.

CIRCULATED TO THE MEMBERS OF COUNCIL.

By Order,

C S Balasundaram Jr

4th January 191 8

Chief *Secretary to Government.*

H. H. The Extraordinary Member of Council.

10. 1. 18

First Member of Council.

Second Member of Council. Opinion recorded.

WD 2670—GPB—1,000—11-5-17

(4) 5

Subject.-Clause iii of the Schedule.

Question of constructing a new building for the Public Health Institute.

OPINION OF THE COUNCIL

Note

The Extraordinary member of Council may be requested to re examine the question in consultation with the Heads of Depts concerned

CCS 18/4

CCS 18/4

Submitted to the Extraordinary member.

CCS 18/4/15

ND 1233—GPB—60,000—1-12-16—S.

928

7

G. R. S. III-2]

General and Revenue Secretariat. | Gen File No. 65 of 1917-18

Serial No.	
12	The Director of Agriculture may first be addressed as to whether his laboratory needs any expansion and if it does, whether the building in which the Public Health Laboratory is at present located will suit him. After his reply is received the Registrar of the Mysore University may be addressed, if necessary. Draft 4.6.
	Draft submitted 21.4.18 B
2	20 14 The Director of Agriculture in Mysore. Letter No. 6169 & 6th May 1918. Enquires whether the Agricultural Laboratory needs any expansion and if it does, whether the building in which the P. H. Institute is at present located will suit the purpose.
3	15th From the Director of Agriculture in Mysore No 347 & 20.5.18 States that plans for the extension of the present building to meet the needs of the department are at present being prepared by the P. W. D and that with certain minor alterations to the building of the public

NOTE—Contn. sheet.

G. R. S. III-2]

2966

General and Revenue Secretariat.

Gen File No. 65 of 1917-18

Serial No.	
	Health Institute will meet the needs of the Agricultural department for the immediate future.
	Submitted for orders, as the reply is not complete. Ask him whether with the alterations he has in view and any other necessary minor alteration it would not be suitable in place of the extensions, plans for which are under preparation.
	28.5.18
	Draft submitted.
	31.5.18
	18 June
	7/6/18
	Do
4	The Director of Agriculture in Mysore No 6894 of 8th June 1918. Enquires whether with the alterations he has in view and any of the necessary minor alterations the Public Health Laboratory would not be suitable in place of the extensions to the existing building of his office for which plans are under preparation.
5	From the Director of Agriculture in Mysore 20 No 385 of 11.6.18 States that the public Health Laboratory will meet the needs of the department for the immediate future. Submitted with reference to para 4 of the note.
	28.6.18

NOTE—Contn. sheet.

WD A 1789—GPB—60,000—20-3-18—S.

3166.

G. R. S. III-2]

General and Revenue Secretariat. | Gen File No. 65 of 1917-18 | 9

Serial No.

21 As the Director says that the P.H Laboratory building with out houses will meet his needs it may be moved over to him and sanction accorded to the construction of a separate building for the P.H Lab. and the Vaccine Institute.

1350/16.7

Dve 13.7.18

First Member)

22. This subject requires [illegible] consideration. If the Agl. College is [illegible] at Lyallpur & work it, the staff of the Agl. Laboratory & the Agl. College & Experiment Farm [illegible] take place, it has to be considered whether the present Agl. Laboratory with a few additions & alterations will suit the requirements of the P.H. Lab.

So long as this question remains undecided, it does not seem desirable to sanction the construction of a new & separate building for the P.H Laboratory.

16/7/18

Gen

Submit the proceedings.

18.7.18

Let the orders on this file be communicated to the Director of Public Health & the location of the Agricultural College may be awaited.

Gen 19/7

Surely 20/7

NOTE—Contn. sheet.

WD A 1789—GPB—60,000—20-8-18—S.

3266.
9879

10

G. R. S. III-2]

General and Revenue Secretariat.

Simla File No. 65 of 1917-18

Serial No.

x Submitting with a copy of [illegible] regarding the institution of the Faculty of Agriculture in the Imperial University and directing that it should be located in Pusa.

31.12.18

2 As the Faculty of Agriculture is to be located at Pusa the existing Agril laboratories building can be placed at the disposal of the P. A. Institute.

2501
4.1.19

3.1.18.

(Vice Member)

25 The residence of a Faculty of Agriculture at Pusa does not mean the presence there of members of the dept. of Agriculture. The dept. must still require a laboratory in Calcutta. The Public Health Laboratory cannot be moved to Pusa. It must be placed at the disposal of the Agricultural dept. as the latter requires it. I also [illegible] Agricultural Chemist [illegible] laboratory [illegible] Laboratory [illegible] working in collaboration. 4/1/19

I want to see papers after [illegible] before [illegible]

5/1/19

Note.—Contn. sheet.

WD A 1789—GPB—60,000—20-3-18—S.

4879

WD 1233—GPB—60,000—1-12-16—S.

11

G. R. S. III-2]

General and Revenue Secretariat.

San File No. 65 of 1917-18.

Serial No.	
2443 24-2-19	26 I respectfully refer the Laboratory Report in connection with the Sanitary Commissioner's Memorandum. The Medical Secretary Committee may kindly see the opinion of his predecessor who was appointed to inspect the Public Health Laboratory when appointed and offer his remarks. The present Sanitary Committee may kindly be asked to send his views on the points raised in this Memorandum. Colombo 28/2
G.O. No. 54-18 Protection Dy 26.2.19	27 Forwarded with Compliments to the San. Commissioner for favour of opinion & remarks. B.C. Mahadevappa for Asst. Govt. Agent 25/2/19

NOTE—Contn. sheet.

G. R. S. III-2]

4879 12

General and Revenue Secretariat. | Gen File No. 65 of 1917-18

Serial No.

G.C 188-3 & 18-3-19

28 ---I am in entire agreement with Dr. T.V. Arumugam Mudaliar in the opinion expressed by him unofficially in February 1914. So far as I am able to make out, the chief reason adduced in - - favour of having more commodious buildings for the Public Health Institute is in order to provide adequate accomodation to set up, permanently and in working order, the different apparatus that are at present kept locked in almyrahs and are only taken out occasionally for use. I do not think it would be very difficult to fix up the apparatus in the existing buildings. The refrigerator - - however requires a separate room, which can - - easily be added on.

2. I do not consider that there is actually an insufficiency of accommodation such as is - - likely to interfere with the efficiency of work. Nor do I believe that a mere improvement in the commodiousness of the building and liberal - - additions to equipment can any means be synonymous with enhanced opportunities for effective work. The existing buildings, equipment and staff do not fall short of actual requirements for purpose of the work outlined in the list appended to Government Order No. 5113-63 San. 86-13-85 dated the 8th February 1917. As a matter of fact there is accommodation for two more Officers.

P.T.O

NOTE—Contn. sheet.

GEN. D. NEG. DEPTT. Chief's-ship 9 MAR 1919 65793 Gang 9/3/19 4-30

WD A 1789—GPB—60,000—20-3-18—S.

General and Revenue Secretariat. | Sec. File No. 65 of 1917-18

Serial No.

3. The vaccine Institute need not form an integral part of the Public Health Institute; its requirements may be considered independently of those of the Public Health Institute.

4. I do not see why either the Director or any of the subordinate Officers should reside on the premises. It is quite unnecessary.

5. The Laboratory is centrally situated and is easily accessible to the General Public, who frequently send up specimens of blood, sputum etc. for examination.

6. The present location of the buildings in close proximity to the Agricultural and Central College Laboratories is convenient as special balances + chemicals &c ~~and~~ apparatus not available in the Institute can be obtained on loan, whenever necessary.

7. There is also the convenience of a common supply of ~~kerosene~~ gas for all the Laboratories. New buildings involve the installation of a special gas-plant.

8. If at any future time, more accommodation is found absolutely necessary, it is easy to convert the open space between the main laboratory building and the out-houses into a spacious hall ~~answer~~ answer that will all possible requirements. The

NOTE—Contn. sheet.

P.T.O.

WD A 1789—GPB—60,000—20-3-18—S.

G. R. S. III-2]

General and Revenue Secretariat.

1879

14

File No. 85. of 1917-18

Serial No.

The cost will be comparatively small. For the present however, no such alteration is actually needed.

A.K. Main
Offg. Sanitary Commissioner.

M.A.N. 17/3/19,

3760/22.3.19

29 Submitted for orders with the official opinion of the Sanitary Commissioner.

20.3.19 Temp. Member

Submd. for orders
D.M. 22/3

30 I believe the proposal to close the P.H. Institute, the Vaccine Institute and Epidemic Hospital and the Leper Asylum all at the same time, has been put up for the reason that the Epidemic Hospital and the Leper Asylum are to be removed to the new sites.

23/3/19

Submitted with Medical file. D.M. 26/3

Ex 126-15.

Submd.

Temp. Member D.M. 29/3

29.3.19

3865
29.3.19

NOTE—Contn. sheet.

WD A 1789—GPB—60,000—20-3-18—S.

W879

G. R. S. III-2]

General and Revenue Secretariat.

Say File No. 65 of 1917-18. 15

Serial No.	
31	In Cuttack the proposal was to locate all the buildings connected with the Sanitary dept in one place. The idea is good & this should be carried out gradually. The Public Health Committee should be consulted & a report from the Sanitary dept.
	3/4.
32	Put up draft please.
	Draft submitted 5.4.18 7/4
	Draft approved as ordered 8/4
	Submitted.
	In Council before issue.
	Dewan) 11/4/19
	13.4
	Issued 15/4/19

DEWAN'S OFFICE.
Recd. on APR 12 1919
Reg. No. 6265

NOTE—Contn. sheet.

WD A 1789—GPB—60,000—20-3-18—S.

G. R. S. III-2]

General and Revenue Secretariat.

~~65~~ Pan File No. 65 of 1917

Serial No.	
6	To The Director of Agriculture No G 23835 8/17-4-19 States that the Laboratory building & Out-house cannot be transferred at present to the Agricultural Dept. To The Lany Comr No. 23836 8/17-4-19 Forwarding Copy of the above.

B 23/4

24 APR 1919

NOTE—Contn. sheet.

WD A 1789—GPB—60,000—20-3-18—S.

From

The Sanitary Commissioner
in Mysore, Bangalore.

To

The Secretary to the Government,
of H. H. the Maharaja of Mysore,
GENERAL *Department*
Bangalore.

Dated 4th October 1917

Despatched

Received

General No. G.C 205
No.

Enclosure No.

SUBJECT.

Requesting a reconsidera
tion of the orders already passed
on the subject of providing new
buildings for the Public Health
Institute.

15 1928

No. G.C-205

San 65-17 Sl 1

Office of the Sanitary Commissioner
with the Government of His Highness
the Maharaja of Mysore,

Dated, Bangalore, 4 . 10 . 1917.

From

M. Srinivasa Rau Esquire., M.A., M.D., B. SC., (Edin)
D. P. H., (Cantab) & F. C. S., (London.)
Sanitary Commissioner with the Government of His Highness the Maharaja of Mysore, Bangalore.

To

C.S.Balasundaram Iyer, Esq., B.A.,

Secretary to the Government of His Highness the Maharaja of Mysore, G E N E R A L *Department,*
BANGALORE.

Sir,

I have the honor to request that the Government will be pleased to reconsider their order No.5837-40 Sany 27-12-19 dated 9-3-17 regarding the question of new buildings for the Public Health Institute, in the light of the following observations.

2. The present building was designed and built in the early part of 1898 when I was on deputation at Agra and Bombay without my ever being consulted and without an adequate knowledge of the then or future requirements of Chemical, Bacteriological and Public Health work. It was in 1910 that the then Sanitary Commissioner felt convinced of the necessity of combining the Vaccine Institute and the Bacteriological and Chemical Laboratory and of widening the scope of the work to be done by the Public Health Department. New designs and plans were prepared for a complete Public Health Institute comprising

(1) Vaccine Institute
(2) Public Health Laboratory
(3) Bacteriological "
(4) Toxicological "
(5) Pathological "
(6) Protozoological "
(7) School of Hygiene
(8) Public Health Museum
(9) Public Health Library

There

19

There is at present no room for the arrangement of the apparatus. Most of it has to be stored in the Almirahs and taken out when absolutely necessary. Constant handling of delicate instruments and moving them from place to place tends to their deterioration. All instruments, E.G., Spectroscope, Polarimeter, Refractometer and others too numerous to mention should be fitted up permanently in their proper places and be available for use at a moment's notice. As things are at present, if they are to be used, they must be set up wherever there is a little space on the Laboratory tables, the apparatus already there having to be moved elsewhere. It takes time to fit them up and bring them to working order. When the work is done they have to be packed again and taken back to their almirahs. The consequence is that a man with his hands full of routine work will naturally avoid the use of these delicate instruments and get through the work as best as possible. In all Laboratories worth the name, there are special rooms set apart for particular kinds of work. This is absolutely impossible in the present Public Health Institute buildings. When a number of Assistant and Sub Assistant Surgeons are undergoing training in Bacteriology and when Sanitary Inspector's classes are held in the same building, there is hardly room to move about and conduct even the routine work. Work in the hot weather becomes very uncomfortable. In the plans that were prepared in 1912, there is nothing that can be spoken of as partaking of the nature of luxury. Only the absolute bare minimum of accommodation is suggested and every room has its particular purpose to serve. The whole of the ground floor is set apart for the preparation of the Vaccine paste. The first floor is intended to accommodate the Bacteriological, Chemical, Protozoological and Serological Laboratories. The various out houses and officers' quarters are designed for the common benefit of the different departments housed

in

in one building. Separate provision is made for the Public Health Museum, Public Health Library and the Toxicological Laboratory. If a complete Vaccine Institute alone is built omitting the other branches of the Public Health Institute the cost will not be less than three-fourths of that estimated for the whole Public Health Institute. By combining the two Institutes duplication of accommodation, of work, and of the personnel will be avoided. The sterilisation room, the media room, the Bacteriological Laboratory, room for experimental animals, the Refrigerating room and the Lecture room will be common to both. The same attendants will serve both the Institutes. The media prepared will be ~~sued~~ used in common by the officers working in different parts of the same building. Whenever an officer goes on leave, or falls ill, ~~temporarily~~, work in the Public Health Institute, as a whole, will not be dislocated as the other officers can look after the absentee's duties in addition to their own. The advantages of a combined Institute are so great that they only need to be pointed out, to be fully appreciated. Any additions that may be proposed to the present Public Health Institute buildings will cost a fairly large sum but the conveniences for work suggested in the new buildings would be absent. I beg to point out that there will be no saving to the Government by constructing a new Vaccine Institute and making some additions to the building in which the Public Health Institute is located at present.

3. So far as the buildings and equipment are concerned, the King Institute, Guindy, Madras, may be taken as a model of what a Public Health Institute ought to be.

4. By locating the Public Health Institute buildings near the place where the new Epidemic Diseases Hospital is proposed to be built, research work in the former will be greatly stimulated and the enforced and undesirable separation of Hospital and Laboratory work, will be remedied.

5. The whole amount necessary for the Public Health Institute may be spread over 3 years, the allotment for each year not exceeding Rs.75,000/-.

6. The Refrigerating plant came from England in July 1912 and cannot be made use of till new buildings are sanctioned. For want of a refrigerating room, work of various kinds has been kept in abeyance.

7. In consideration of all these facts I request that the Government may be moved to pass favorable orders regarding the construction of new buildings for the Public Health Institute.

I have the honor to be,

Sir,

Your most obedient servant,

M Srinivasa Rao

Sanitary Commissioner.

G. R. S. VI—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to.....

GENERAL AND REVENUE SECRETARIAT

(Sanitary)

the ..... *191* .

Date of issue 6.5.18

Signed by W.M. Venkatesa Iyer

Section

File No. 65-17

Serial No. 2

No. 6169

Sanit 65-17-2

6.5.18

To

The Director of Agriculture

Sir,

I am directed to enquire whether your laboratory needs any extension and if it does, whether the building in which the public Health Laboratory is at present located will suit your purpose.

I have the honour to be,

Sir,

Your most obedient servant,

for Chief Secretary.

over.

WD 0463—GPB—3,00,000—21-7-17—S.

23

191

From
The Director of Agriculture
in Mysore, Bangalore.

To
The Chief Secy. to Govt.,
Bangalore.

Dated 20-5-1918

Despatched 03437

Received 23 MAY 1918

General No. 347

No. 5

Enclosure No.

Furnishes opinion in re expansion of the existing laboratory.

W D A497—GPB—500—14-9-17

Telegraphic Address
"Agri., Bangalore."

24

D2966
San 65-17-3

DEPARTMENT OF AGRICULTURE,
MYSORE STATE.

Bangalore,

May 20, 1918

No. 6547 S.

FROM

LESLIE C. COLEMAN, ESQ., M.A., PH.D.,
DIRECTOR OF AGRICULTURE IN MYSORE,
BANGALORE.

To

C.S.Balasundaram Iyer, Esq., B.A.,
Chief Secretary to the Govt. of H. H.
the Maharaja of Mysore, Bangalore.

SIR,

With reference to your letter No.6169/San.65-17-2 of the 6th instant, I have the honour to state that plans for the extension of our present building to meet the needs of the Department are at present being prepared by the Public Works Department. An enlargement of accommodation is urgently required.

I have gone over the building of the Public Health Laboratory and consider that with certain minor alterations it will meet the needs of the Department for the immediate future.

I have the honour to be,
Sir,
Your most obedient servant,

Director of Agriculture.

hs.

m 6/6

25

G. R. S. VI—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to 2966

Section San
File No. 65/17
Serial No. 4

GENERAL AND REVENUE SECRETARIAT,
(San Brg)
, the 191

No. 6894
San 65-17-4
9.8.6.18.

Date of issue 10.6.18

Signed by J. M. Venkatasubbaiya

To

The Director of Agriculture
in Mysore

Sir

With reference to your letter
No 347 dated the 20th May 1918, I
am directed to enquire whether
with the alterations you have
in view and any other necessary
minor alterations, the plinth
of the Central Laboratory building it
would not be suitable in place
of the extensions of ~~your present~~ to the existing

over.

2b of your office
buildings for which you state plans are
~~shall to be~~ under preparation.

I have the

[illegible]
76

List of enclosure

Copied by

Examined by

WD 86—GPB—60,000—15-11 16

WD 0463—GPB—3,00,000—21-7-17—S.

27

191

From

The Director of Agriculture
in [redacted]. Bangalore.

To

The Chief Secretary to Govt.,
Bangalore.

Dated 11-6-1918

Despatched 05397

Received

General No. 383

No. S

Enclosure No.

DEV. DEP. IV 2 VI 1 hua

Furnishes information in re the suitability of the Public Health Laboratory building in place of extension.

The file has been taken by Mr H.P.B. Please enquire. 13/6/18.

Submit to member MW 10.6.18

W D A497—GPB—500—14-9-17

Telegraphic Address
"Agri., Bangalore."

DEPARTMENT OF AGRICULTURE,
MYSORE STATE.

D 3266
San 65-17 Serial 5
No. 3886 S.

Bangalore,

June 11, *191* 8

FROM

LESLIE C. COLEMAN, ESQ., M.A., PH.D.,

DIRECTOR OF AGRICULTURE IN MYSORE,

BANGALORE.

To

C. S. Balasundaram Iyer, Esq., B.A.,

Chief Secretary to the Govt. of H. H.

the Maharaja of Mysore, Bangalore.

SIR,

With reference to your letter No. 6894/San.65-17-4 of the 8th instant, I have the honour to note that I have already stated that the Public Health Laboratory will meet the needs of the Department for the immediate future. Arrangements for the preparation of plans for the extensions to the present laboratory buildings had been made before the receipt of your letter No.6169/San.65-17-2 of 6th May 1918. If the Public Health Laboratory and out-houses are handed over these extensions need not be considered.

I have the honour to be,

Sir,

Your most obedient servant,

Director of Agriculture.

hs.

G.C. 188
16770 30 SEP 1918

29

Office of the Sanitary Commissioner
with the Government of His Highness
the Maharaja of Mysore.

Dated, Bangalore, 28th Sept. 1918.

DIARY No. 6..42
SECRETARIAT
1-1
1- OCT 1918

From

M. Srinivasa Rau Esquire., M.A., M.D., B. Sc. (Edin.)
D. P. H., (Cantab) & F.I.C. S. (London.)
Sanitary Commissioner with the Government of His Highness the Maharaja of Mysore, Bangalore.

To

C.S. Balasundaram Iyer Esq., B.A.,

Chief Secretary to the Government of His Highness the Maharaja of Mysore, ... Department,

BANGALORE.

Sir,

I have the honor to invite reference to this office No. G.C. 205, dated the 4th October 1917 and request the favor of early orders being passed on the question of the new buildings proposed for the Public Health Institute, inclusive of the Vaccine Institute.

I have the honor to be,
Sir,
Your most obedient servant,

M Srinivasa Rau

Sanitary Commissioner

From

The Sanitary Commissioner
in Mysore, Bangalore.

To

The Secretary to the Government
of H. H. the Maharaja of Mysore,
Department
Bangalore.

Dated

Despatched

Received

General No.
No.

Enclosure No.

SUBJECT.

30

G. R. S. VI—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to.....

Section Van
File No. 65-17
Serial No. 6

GENERAL AND REVENUE SECRETARIAT,
( )
, *the* 191 .

No. G 23835

Date of issue 17-4-18

Signed by W. E. Davis

To

The Director of Agriculture
in Kegon

Sir,

With reference to your letter
No 383 dated the 11th June 1918
stating that the Public Health
Laboratory will meet the
needs of your department for
the immediate future, I am
directed to state that the
Laboratory building, and outhouses
cannot be transferred at present to

over.

the

82/21
15/4

31.)

The Agricultural department:

I have the

honour

to

forward herewith

for your information

Mem. G 23836

Copy to Secretary Commission for

Agriculture

for information.

for Chief Secretary

688

7/4 Copy to Ex Asst

Secretary

11/4

List of enclosure

Copied by

Examined by

WD 86—GPB—60,000—15-11 16